



Docket 86171SLP  
Customer No. 01333

IFW

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:  
David P. Trauernicht, et al

STORAGE PHOSPHOR READOUT  
SYSTEM USING RESONANT  
MICROCAVITY CONVERTER

Serial No. US 10/718,429

Filed 20 November 2003

Group Art Unit: 2884

Examiner: David S. Baker

I hereby certify that this correspondence is being  
deposited today with the United States Postal  
Service as first class mail in an envelope addressed  
to Commissioner For Patents, P.O. Box 1450,  
Alexandria, VA 22313-1450.

*Laurie A. Wurtz*  
LAURIE A. WURTZ  
June 14, 2006

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA. 22313-1450

Transmitted herewith is an amendment in the above-identified application:

- ☒ No additional fee is required.  
☐ The fee has been calculated as shown below:

	(Col. 1)		(Col. 2)	(Col. 3)	OTHER THAN A SMALL ENTITY	
	CLAIMS REMAINING AFTER AMENDMENT		* HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDITIONAL FEE
TOTAL	13	MINUS	20	0	X 50	\$0
INDEP	1	MINUS	3	0	X 200	\$0
FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM					+ 360	\$ 0
					<b>TOTAL</b>	<b>\$0</b>

\* The "Highest Number Previously Paid For" (Total or Independent) is the highest number found from the equivalent box in Col. 1 of a prior amendment or the number of claims originally filed.

☐ Please charge American Express Credit Card (see attached form PTO-2038) \$0.

**A duplicate copy of this sheet is enclosed**

☒ The Commissioner is hereby authorized to charge payment of  
the following fees associated with this communication or credit any overpayment to Eastman Kodak  
Company Deposit Account No. 05-0225

**A duplicate copy of this sheet is enclosed**

☒ Any additional filing fees required under 37 CFR 1.16.

☒ Any patent application processing fees under 37 CFR 1.17.

(For Extensions of Time and other Petitions to the Assistant Commissioner)

Susan L. Parulski/law  
Telephone: 585-477-4027  
Facsimile: 585-477-4646

*Susan L. Parulski*  
Attorney for Applicants  
Registration No. 39,324

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the Examiner is requested to communicate with Eastman Kodak Company Patent Operations at (585) 477-4656.



86171SLP  
Customer No. 01333

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:

David Trauernicht et al.

STORAGE PHOSPHOR READOUT  
SYSTEM USING RESONANT  
MICROACTIVITY CONVERTER

Serial No. 10/718,429

Filed : 20 November 2003

Group Art Unit: 2884

Examiner: David S. Baker

I hereby certify that this correspondence is being deposited  
today with the United States Postal Service as first class  
mail in an envelope addressed to Commissioner for  
Patents, Alexandria, VA 22313-1450

*Laurie A. Wurtz*  
Laurie A. Wurtz

*June 14, 2006*  
Date

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

**AMENDMENT**

In response to the office action mailed December 14, 2005, please  
amend the above-identified application as set forth below:

**Amendments to the Claims** are reflected in the listing of claims, which begins on  
page 2 of this paper.

**Remarks/Arguments** begin on page 5 of this paper.